


FOOD GRADE DRY SILICONE SPRAY NON-CHLORINATED

PRODUCT NO. 590



PURE SILICONE RESIDUAL FILM

- APPROVED BY U.S.D.A. FOR INCIDENTAL FOOD CONTACT ON FOOD PACKAGING and PROCESSING EQUIPMENT
- HEAT STABLE FROM -40°F TO +450°F
- PREVENTS JAMMING and PRODUCTION SLOWDOWN OF BOTTLING LINES
- REDUCES FRICTION AND WEAR

 Gold Coast Chemical Products
A DIVISION OF DORA INDUSTRIES, INC.

GSA Contract #5507F6041R

HUBZone

FOOD GRADE DRY SILICONE SPRAY

aerosol
product
data
sheet

NON-CHLORINATED

Description

The highest USDA authorized, high viscosity, ultra pure, lubricant for use on food processing and packaging equipment. Leaves a waterproof, dry, non-staining, clear film. Heat stable from -40°F to +450°F. Contains no chlorinated solvents.

For Use by

GROCERY STORES
BOTTLING PLANTS • DAIRIES
FOOD PACKAGING and
PROCESSING PLANTS
MEAT and POULTRY PLANTS

For Use On

CONVEYORS • OVENS
SLICING EQUIPMENT
HEATING SEALING EQUIPMENT
SCRAMBLER TABLES
GUIDE RAILS

Features

HIGHEST USDA RATING (H-1 INCIDENTAL FOOD CONTACT)
HEAT STABLE FROM -40°F TO +450°F
DRIES TO A PURE NON-STAINING SILICONE FILM
SAFE ON PLASTICS • REDUCES FRICTION AND WEAR
NO CHLORINATED SOLVENTS

Specifications

Appearance and Odor	Clear Liquid, Solvent Odor
Flash Point of Concentrate	(25.5°F)
Flammability	Extremely-Flammable Spray
Specific Gravity	0.726
Propellant	Liquid Petroleum Gas
Spray Pattern	Circular Spray
NFPA Fire Rating	Level 3 Aerosol
Packaging	12 x 11oz. Net Wt. Cans per case (16oz. Size Cans)